Pollution atmosphérique
ISSN : 2268-3798
Éditeur : Association pour la Prévention de la Pollution Atmosphérique

236 | 2018
Varia

Articles sélectionnés pour vous

Yvon Le Moullec

https://www.peren-revues.fr/pollutionatmospherique/6444

DOI : 10.4267/pollution-atmospherique.6444

Référence électronique
Yvon Le Moullec, « Articles sélectionnés pour vous », *Pollution atmosphérique* [En ligne], 236 | 2018, mis en ligne le 27 février 2018, consulté le 26 février 2026.
URL : https://www.peren-revues.fr/pollutionatmospherique/6444

Droits d'auteur
CC-BY

Articles sélectionnés pour vous

Yvon Le Moullec

PLAN

Sources extérieures
Qualité de l'air Intérieur
Immissions- expositions
Santé

TEXTE

Sources extérieures

1 Bertrand A, Stefenelli G, Bruns EA *et al.*, 2017 : Primary emissions and secondary aerosol production potential from woodstoves for residential heating: Influence of the stove technology and combustion efficiency. *Atmos Environ*, 169, p. 65-79.

2 Garland C, Delapena S, Prasad R *et al.*, 2017 : Black carbon cookstove emissions: A field assessment of 19 stove/fuel combinations. *Atmos Environ*, 169, p. 140-149.

3 Hama SM, Cordell RL, Monks PS, 2017 : Quantifying primary and secondary source contributions to ultrafine particles in the UK urban background. *Atmos Environ*, 166, p. 62-78.

4 Louis C, Liu Y, Martinet S *et al.*, 2017 : Dilution effects on ultrafine particle emissions from Euro 5 and Euro 6 diesel and gasoline vehicles. *Atmos Environ*, 169, p. 80-88.

5 Mendoza-Villafuerte P, Suarez-Bertoa R, Giechaskiel B *et al.*, 2017 : NOx, NH3, N2O and PN real driving emissions from a Euro VI heavy-duty vehicle. Impact of regulatory on-road test conditions on emissions. *SciTotEnviron*,609, p. 546-555.

6 Nopmongcol U, Alvarez Y, Jung J *et al.*, 2017 : Source contributions to United States ozone and particulate matter over five decades from 1970 to 2020. *Atmos Environ*, 167, p. 116-128.

7 Vouitsis I, Ntziachristos L, Samaras C, Samaras Z, 2017 : Particulate mass and number emission factors for road vehicles based on literature data and relevant gap filling methods. *Atmos Environ*, 168, p. 75-89.

Qualité de l'air Intérieur

8 Chan WR, Logue JM, Wu X *et al.*, 2018 : Quantifying fine particle emission events from time-resolved measurements: Method description and application to 18 California low-income apartments. *Indoor Air*, 28(1), p. 89-101.

9 Dodson RE, Udesky JO, Colton MD *et al.*, 2017 : Chemical exposures in recently renovated low-income housing: Influence of building materials and occupant activities. *Environ Int*, 109, p. 114-27.

10 Gaspar FW, Maddalena R, Williams J *et al.*, 2018 : Ultrafine, fine, and black carbon particle concentrations in California child-care facilities. *Indoor Air*, 28(1), p. 102-111.

11 Hwang SH, Park WM, Park JB, Nam T, 2017 : Characteristics of PM10 and CO2 concentrations on 100 underground subway station platforms in 2014 and 2015. *Atmos Environ*, 167, p. 143-149.

12 Malliari E, Kalantzi OI, 2017 : Children's exposure to brominated flame retardants in indoor environments - A review. *Environ Int*, 108, p. 146-169.

13 Morawska L, Ayoko GA, Bae GN *et al.*, 2017 : Airborne particles in indoor environment of homes, schools, offices and aged care facilities: The main routes of exposure. *Environ Int*, 108, p. 75-83.

14 Pelletier M, Bonvallot N, Ramalho O *et al.*, 2017 : Indoor residential exposure to semivolatile organic compounds in France. *Environ Int*, 109, p. 81-88.

15 Valkonen M, Täubel M, Pekkanen J *et al.*, 2018 : Microbial characteristics in homes of asthmatic and non-asthmatic adults in the ECRHS cohort. *Indoor Air*, 28(1), p. 16-27.

16 Xu B, Hao J. Air quality inside subway metro indoor environment worldwide: A review. *Environ Int*, 107, p. 33-46.

Immissions- expositions

17 Chazette P, Totems J, Shang X, 2017 : Atmospheric aerosol variability above the Paris Area during the 2015 heat wave - Comparison with the 2003 and 2006 heat waves. *Atmos Environ*, 170, p. 216-33.

18 Degraeuwe B, Thunis P, Clappier A *et al.*, 2017 : Impact of passenger car NOX emissions on urban NO_2 pollution – Scenario analysis for 8 European cities. *Atmos Environ*, 171, p. 330-7.

19 Fauser P, Ketzel M, Becker T *et al.*, 2017 : Human exposure to carcinogens in ambient air in Denmark, Finland and Sweden. *Atmos Environ*, 167, p. 283-297.

20 Ham W, Vijayan A, Schulte N, Herner JD, 2017 : Commuter exposure to PM2.5, BC, and UFP in six common transport microenvironments in Sacramento, California. *Atmos Environ*, 167, p. 335-45.

21 Kecorius S, Madueño L, Vallar E *et al.*, 2017 : Aerosol particle mixing state, refractory particle number size distributions and emission factors in a polluted urban environment: Case study of Metro Manila, Philippines. *Atmos Environ*, 170, p. 169-183.

22 Leavey A, Reed N, Patel S *et al.*, 2017 : Comparing on-road real-time simultaneous in-cabin and outdoor particulate and gaseous concentrations for a range of ventilation scenarios. *Atmos Environ*, 166, p. 130-141.

23 Patrón D, Lyamani H, Titos G *et al.*, 2017 : Monumental heritage exposure to urban black carbon pollution. *Atmos Environ*, 170, p. 22-32.

24 Rai AC, Kumar P, Pilla F *et al.*, 2017 : End-user perspective of low-cost sensors for outdoor air pollution monitoring. *SciTotEnviron*, 607-608, p. 691-705.

25 SimonMC, Hudda N, NaumovaEN, *et al.*, 2017 : Comparisons of traffic-related ultrafine particle number concentrations measured in two urban areas by central, residential, and mobile monitoring. *Atmos Environ*, 169, p. 113-127.

26 Soulhac L, Nguyen CV, Volta P, Salizzoni P, 2017 : The model SIRANE for atmospheric urban pollutant dispersion. PART III : Validation

against NO_2 yearly concentration measurements in a large urban agglomeration. *Atmos Environ*, 167, p. 377-388.

27 Tan SH, RothM, Velasco E, 2017 : Particle exposure and inhaled dose during commuting in Singapore. *Atmos Environ*, 170, p. 245-258.

28 Thouron L, Seigneur C, Kim Y *et al.*, 2017 : Simulation of trace metals and PAH atmospheric pollution over Greater Paris : Concentrations and deposition on urban surfaces. *Atmos Environ*, 167, p. 360-376.

Santé

29 Achilleos S, Kioumourtzoglou MA, Wu CD *et al.*, 2017 : Acute effects of fine particulate matter constituents on mortality : A systematic review and meta-regression analysis. *Environ Int*, 109, p. 89-100. (review)

30 Barry M, Annesi-Maesano I, 2017 : Ten principles for climate, environment and respiratory health. Eur Respir J, 50(6) : 1701912, https://doi.org/10.1183/13993003.01912-2017

31 Carles C, Bouvier G, Esquirol Y *et al.*, 2017 : Residential proximity to agricultural land and risk of brain tumor in the general population. *Environ Res*, 159, p. 321-330.

32 Chen H, Kwong JC, Copes R *et al.*, 2017 : Exposure to ambient air pollution and the incidence of dementia: A population-based cohort study. *Environ Int*, 108, p. 271-277.

33 Cory-Slechta DA, Allen JL, Conrad K *et al.*, 2017 : Developmental exposure to low level ambient ultrafine particle air pollution and cognitive dysfunction. Neurotoxicology; in press https://doi.org/10.1016/j.neuro.2017.12.003

34 Forns J, Dadvand P, Esnaola M *et al.*, 2017 : Longitudinal association between air pollution exposure at school and cognitive development in school children over a period of 3.5 years. *Environ Res*, 159, p. 416-421

35 Goldberg MS, Labrèche F, Weichenthal S *et al.*, 2017 : The association between the incidence of postmenopausal breast cancer and concentrations at street-level of nitrogen dioxide and ultrafine particles. *Environ Res*, 158, p. 7-15.

36 Hehua Z, Qing C, Shanyan G *et al.*, 2017 : The impact of prenatal exposure to air pollution on childhood wheezing and asthma: A systematic review. *Environ Res*, 159, p. 519-530.

37 Hellack B, Sugiri D, Schins RP *et al.*, 2017 : Land use regression modeling of oxidative potential of fine particles, NO_2, $PM_{2.5}$ mass and association to type two diabetes mellitus. *Atmos Environ*, 171, p. 181-190.

38 Klocke C, Allen JL, Sobolewski M *et al.*, 2017 : Exposure to fine and ultrafine particulate matter during gestation alters postnatal oligodendrocyte maturation, proliferation capacity, and myelination. Neurotoxicology, in press. https://doi.org/10.1016/j.neuro.2017.10.004

39 Lubczynska J, Sunyer J, Tiemeier H *et al.*, 2017 : Exposure to elemental composition of outdoor $PM_{2.5}$ at birth and cognitive and psychomotor function in childhood in four European birth cohorts. *Environ Int*, 109, p. 170-180.

40 Luben TJ, Nichols JL, Dutton SJ *et al.*, 2017 : A systematic review of cardiovascular emergency department visits, hospital admissions and mortality associated with ambient black carbon. *Environ Int*, 107, p. 154-162.

41 Ouidir M, Lepeule J, Siroux V *et al.*, 2017 : Is atmospheric pollution exposure during pregnancy associated with individual and contextual characteristics? A nationwide study in France. *J Epidemiol Community Health*, 71(10), p. 1026-1036.

42 Palacios N, Munger KL, Fitzgerald KC *et al.*, 2017 : Exposure to particulate matter air pollution and risk of multiple sclerosis in two large cohorts of US nurses. *Environ Int*, 109, p. 64-72.

43 Pedersen M, Garne E, Hansen-Nord N *et al.*, 2017 : Exposure to air pollution and noise from road traffic and risk of congenital anomalies in the Danish National Birth Cohort. *Environ Res*, 159, p. 39-45.

44 Pedersen M, Olsen SF, Halldorsson TI *et al.*, 2017 : Gestational diabetes mellitus and exposure to ambient air pollution and road traffic noise: A cohort study. *Environ Int*, 108, 253-260.

45 Pelletier M, Bonvallot N, Glorennec P, 2017 : Aggregating exposures & cumulating risk for semivolatile organic compounds: A review. *Environ Res*, 158, p. 649-659.

46 Plusquin M, Guida F, Polidoro S *et al.*, 2017 : DNA methylation and exposure to ambient air pollution in two prospective cohorts. *Environ Int*, 108, p. 127-136.

47 Rosa MJ, Pajak A, Just AC *et al.*, 2017 : Prenatal exposure to PM2.5 and birth weight: A pooled analysis from three North American longitudinal pregnancy cohort studies. *Environ Int*, 107, p. 173-180.

48 Shmuel S, White AJ, Sandler DP, 2017 : Residential exposure to vehicular traffic-related air pollution during childhood and breast cancer risk. *Environ Res*, 159, p. 257-263.

49 Sinharay R, Gong J, Barratt B *et al.*, 2017 : Respiratory and cardiovascular responses to walking down a traffic-polluted road compared with walking in a traffic-free area in participants aged 60 years and older with chronic lung or heart disease and age-matched healthy controls: a randomised, crossover study. *The Lancet*, In press.

50 Soppa VJ, Schins RP, Hennig F *et al.*, 2017 : Arterial blood pressure responses to short-term exposure to fine and ultrafine particles from indoor sources – A randomized sham-controlled exposure study of healthy volunteers. *Environ Res*, 158, p. 225-232.

51 Sorensen M, Nielsen OW, Sajadieh A *et al.*, 2017 : Long-Term Exposure to Road Traffic Noise and Nitrogen Dioxide and Risk of Heart Failure: A Cohort Study. *Environ Health Perspect*, 125(9), https://doi.org/10.1289/EHP1272

52 Stone V, Miller MR, Clift MJ *et al.*, 2017 : Nanomaterials Versus Ambient Ultrafine Particles: An Opportunity to Exchange Toxicology Knowledge. *Environ Health Perspect*. 125(10): 106002. DOI : 10.1289/EHP424.

53 Strak M, Janssen N, Beelen R *et al.*, 2017 : Long-term exposure to particulate matter, NO2 and the oxidative potential of particulates and diabetes prevalence in a large national health survey. *Environ Int*, 108, p. 228-236.

54 Yin P, Chen R, Wang L *et al.*, Ambient Ozone Pollution and Daily Mortality: A Nationwide Study in 272 Chinese Cities. *Environ Health Perspect*,125(11), https://doi.org/10.1289/EHP1849

AUTEUR

Yvon Le Moullec